

INTERNATIONAL PRODUCT GUIDE

LANDSCAPE & ARCHITECTURAL LIGHTING

FXLuminaire | **NELSON AUSTRALIA**



Elegant outdoor lighting solutions

Basic On/Off Lights

TRANSFORMER



EX Transformer EX-150-E-M

The EX provides an economical, low-wattage power and control option for LED lighting projects.

Height: 330 mm
Width: 140 mm
Depth: 127 mm
Power: 150 W
Finish: M



Primary Features

- 150 W
- Single 15 V output tap
- Compact design
- Powder-coated steel

UP LIGHTS

MU Up Light MU-LED20WFL-E-LS-FB

Versatile with functionality to spare, this aluminium up light is ideal for any outdoor setting.

Height: 183 mm
Long Shroud: 221 mm
Diameter: 56 mm
Lamp: MR-16
Finish: FB
Material: Aluminium



PB Wall Wash PB-1LED-E-FB

Featuring a wider angle, this compact, sturdy fixture provides soft illumination for washing low walls and backlighting small features.

Height: 152 mm
Width: 98 mm
Depth: 50 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



DOWN LIGHTS

JB Down Light JB-3LED-E-SS-FB

FX Luminaire's original down light solves the problem of changing lamps in complicated areas by providing long-life LEDs.

Length: 264 mm
Diameter: 66 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



Copper Sleeve

VE Pendant VE-1LED-E-AB VE-1LED-E-FB

When hung from architectural elements or trees, this elegant fixture softly illuminates areas from above.

Height: 109 mm
Diameter: 58 mm
Lamp: Integrated LED
Finish: AB*, FB
Material: Aluminium or Copper/Brass



WALL LIGHTS

LF Ledge Light LF-1LED-W-E-BS

This hardscape ledge light easily fits between a block wall and a capstone for a neat, clean installation.

Height: 22 mm
Width: 170 mm
Depth: 25 mm
Lamp: Integrated LED
Finish: BS
Material: Brass



MS Wall Light MS-1LED-E-AB

The classic MS provides soft perimeter lighting for decks, fences, and other surface-mounted applications.

Diameter: 97 mm
Exposed Depth: 51 mm
Lamp: Integrated LED
Finish: AB
Material: Brass



PATH LIGHTS



TM Path Light TM-LED20W-18R-FB

This aluminium path light features a stylish cap for unmatched elegance and function.

Height: 381 mm
Diameter: 127 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



JS Path Light JS-LED-TA-FB G-1LED-18RA-FB

Engineered for mid-sized landscapes, this striking fixture provides lighting for larger pathways while using less energy.

Height: 396 mm
Diameter: 159 mm
Lamp: Integrated LED
Finish: FB
Material: Copper/Brass



M-PJ Path Light M-PJ-1LED-E-FB

Add style and functionality to modern installations with this aluminium path light that stands up to the elements.

Height: 561 mm
Width: 71 mm
Depth: 187 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



M-PZ Path Light M-PZ-1LED-E-FB

Engineered with highly durable die-cast aluminium, this versatile path light is a perfect addition to modern lighting designs.

Height: 561 mm
Width: 64 mm
Depth: 187 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



PM Mini Bollard PM-1LED-E-FB

In this contemporary commercial bollard, a parabolic reflector, diffuser cone, and optics work together to produce long projection beam spread with no glare.

Height: 356 mm **XT Height:** 98 mm
Diameter: 64 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



SPECIALTY LIGHTS



FC In-Grade Light FC-LED20WFL-E-RG-NP

The subterranean FC provides controlled, glare-free illumination for smaller-scale spaces.

Height: 122 mm
Diameter: 102 mm
Lamp: MR-16
Finish: NP
Material: Brass



LL Underwater Light LL-3LED-E-BS

The highly versatile LL brings the efficiency and reliability of LED technology to underwater applications.

Height: 102 mm
Diameter: 81 mm
Lamp: Integrated LED
Finish: BS
Material: Brass



Zone/Dim/Colour

LUXOR™ CONTROLLER



Luxor Controller

LUX-300-EU-SS
LSAT-300-EU-SS

Our premium lighting control solution offers zoning, dimming, and colour creation capabilities, plus optional Wi-Fi control.

Height: 330 mm
Width: 203 mm
Depth: 160 mm
Power: 300 W
Finish: SS



Primary Features

- Zone control: Turn individual or groups of fixtures on and off at desired times.
- Dimming control: Adjust the intensities of individual or groups of fixtures from 0-100%.
- Colour control: Choose from 30,000 vibrant colours.
- Colour palette: Generate and save up to 250 custom colours.
- Scene/theme creation: Design up to 40 themes ranging from every-night living to holidays and special celebrations.
- Calendar-based programming: Ensure specific programs run only when needed with dedicated date-range programming.
- Smart home integration: Integrate and control Luxor with today's most popular smart home automation systems.



Wireless Control

LAM
LINK-MOD-E
WIFIMOD2

Interact with the controller using iOS® or Android™ devices. Incorporate wireless control using the preinstalled LAN module.


LAM: Light Assignment Module
LINK-MOD-E: Luxor Wireless Linking Module
WIFIMOD2: Wi-Fi Module

Location Lat: 33.87°S Long: 151.21°E



LUXOR APP CONTROL

With the Luxor App, you can adjust fixture intensity and colour, create unique themes, and fine-tune your colour palette for special occasions — from anywhere!



Groups

Adjust intensity and colours of individual or groups of fixtures to fine-tune your lighting design.

Themes

Design one-of-a-kind holiday displays, create team spirit for the big game, or add company colours for corporate events.



Colour Creation

Create up to 30,000 colours using the latest RGBW LED technology.

Programming

Create custom lighting schedules for everyday living, holidays, and celebrations.



Visit fxl.com/luxor-ios



Visit fxl.com/luxor-android



UP LIGHTS

NP Up Light

NP-ZDC-E-FB

The highly versatile NP fixture is built to accommodate all aspects of your up lighting needs.

Height: 216 mm
Long Shroud: 264 mm
Diameter: 69 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



LC Wall Wash

LC-ZDC-E-FB

The expansive spread of this robust fixture is perfect for lighting facades and canopies.

Height: 165 mm
Width: 114 mm
Depth: 76 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



DOWN LIGHTS



JB Down Light JB-ZDC-E-SS-FB

FX Luminaire's original down light solves the problem of changing lamps in complicated areas by providing long-life LEDs.

Length: 264 mm
Diameter: 66 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



WALL LIGHTS



LF Ledge Light LF-ZDC-E-BS

This hardscape ledge light easily fits between a block wall and a capstone for a neat, clean installation.

Height: 22 mm
Width: 170 mm
Depth: 25 mm
Lamp: Integrated LED
Finish: BS
Material: Brass



PATH LIGHTS



CA Path Light CA-LED-TA-FB G-ZDC-18RA-FB

Simple and stylish, this attractive path light connects the contemporary world to the natural environment.

Height: 391 mm
Diameter: 193 mm
Lamp: Integrated LED
Finish: FB
Material: Copper/Brass



PM Mini Bollard PM-ZDC-E-FB

In this contemporary commercial bollard, a parabolic reflector, diffuser cone, and optics work together to produce long projection beam spread with no glare.

Height: 356 mm
Diameter: 64 mm
Lamp: Integrated LED
Finish: FB
Material: Aluminium



SPECIALTY LIGHTS



FC In-Grade Light FC-ZDC-E-RG-NP

The subterranean FC provides controlled, glare-free illumination for smaller-scale spaces.

Height: 122 mm
Diameter: 102 mm
Lamp: Integrated LED
Finish: NP
Material: Brass



ACCESSORIES

EKITSPIKE



753900



Spikes

EKITSPIKE

This CE installation kit for up lights and path lights includes a spike, junction box, O-ring, strain relief, and connector for low-voltage fixtures. It is a required accessory for CE compliance.

753900

Spike included with all up lights and path lights.

FINISHES

Controller/Transformer: Powder Coat Comes Standard



M
Matte Grey (Select transformers only)

Metal



SS
Stainless Steel

Metal



AB on copper
Antique Bronze



AB on brass
Antique Bronze



BS
Natural Brass



NP
Nickel Plate

Powder Coat: Standard



FB
Black

Certifications



CE Certified
All products are CE certified. See product details for requirements.



IP Rating
Indicates water and dust resistance.



Indicates accessory required for CE compliance. See product details.

BUSINESS TOOLS FOR PROFESSIONALS

FX Luminaire provides a wide range of resources to help you succeed. Gain the power to install with confidence, troubleshoot with ease, maximise energy savings, and sell with assurance.




My List



Use this simple yet powerful tool to plan installations, send your orders directly to distributor branches, and add notes to specific projects. My List helps you customise unique proposals for every customer and streamline orders for your business.

Get started today at fxl.com/mylist.



Hunter University



Learn best practices for lighting specific spaces in any landscape. This comprehensive, free online program guides you through the design process and shows you how to build a lighting portfolio.

Get started today at training.hunterindustries.com.



Luxor Demo Kit



Create an immersive, at-home experience for customers to showcase the unmatched quality of our lighting products.

To order, **contact your Hunter/FX Luminaire sales manager or ask your distributor.** Use order code FXPRO-026.

See complete details for our full line of CE-certified products at fxl.com/ce.

Demo Kit Includes

- ▶ 300 W Luxor Controller: LUX300EUM
- ▶ Four 12 m rolls of studded 2 mm wire (250011790001) with wire nuts
- ▶ Four NP Up Lights with ZDC Technology™
- ▶ Two LC Wall Wash fixtures with ZDC Technology
- ▶ Two RW Wall Wash/Directional Path Lights with ZDC Technology
- ▶ Wireless Light Assignment Module (LAM)
- ▶ Luxor Wi-Fi Antenna (WIFIMOD2)

*All fixtures are powder-coated in orange or orange/black two-tone configurations.

INTRODUCING MY DESIGN WITH NIGHT MODE

Create Virtual Night Demos



With My Design, you can light up the night like never before.

The transformative Night Mode feature lets you design professional after-dark renderings with seamless control of fixture direction, light intensity, beam angle, and more. Use My Design to help your customers simplify the design process, increase sales, and grow their businesses.

To get started, simply snap a picture of any landscape, then turn on Night Mode to reveal the stunning effects of landscape lighting in your design. It's easy to create a professional proposal in just a few clicks using these robust tools:



- **Add Light:** Add default beam patterns to a fixture.
- **Edit Light:** Modify the lighting aspects applied to a fixture.
- **Beam Adjustment:** Rotate and adjust a single beam.
- **Beam Spread:** Select multiple fixtures and assign a custom beam spread.
- **Beam Brightness:** Set the intensity of the light.
- **Select Fixtures:** See which fixtures have beams and which require beams to be added. Select all with a single click.
- **Fixture Icons:** Turn off fixture icons and adjust size for more detail.
- **Darkness:** Increase or decrease the ambient light.

Use My Design to create elegant design proposals and unforgettable experiences that convert prospects into happy customers — all while streamlining the product ordering process and storing your data securely in the cloud for instant access whenever you need it.

Since My Design requires no technical expertise, it's simple enough for beginners, yet powerful enough for experts. Try it for yourself and close sales faster! My Design with Night Mode is available now. **Scan to learn more!**



fxl.com/my-design

FXLuminaire

A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries



Denise Mullikin, President, Landscape Irrigation and Outdoor Lighting

Website fxl.com

USA HEADQUARTERS

1940 Diamond Street
San Marcos, CA 92078 USA
T: +1-760-744-5240

AUSTRALIA

50 Lynch Street
Hawthorn, VIC 3122, Australia
T: +1-800-438-486



NELSON IRRIGATION CORPORATION OF AUSTRALIA PTY LTD

ABN 61064013001
www.nelsonirrigation.com.au

info@nelsonirrigation.com.au | customerservice@nelsonirrigation.com.au | accounts@nelsonirrigation.com.au
orders@nelsonirrigation.com.au | sales@nelsonirrigation.com.au | marketing@nelsonirrigation.com.au

BRISBANE- HEAD OFFICE

20 Macadam Street
Seventeen Mile Rocks QLD 4073,
Australia
T: 1300-856-368 or (07) 3715-8555

PERTH

1/14 Hydro Rise
Bibra Lake WA 6163, Australia
T: (08) 9434-9600

MELBOURNE

6 Coral CCT
Keysborough VIC 3173, Australia
T: (03) 8789-6200